Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	561	(startup same ((chang$3 retriev$3 modif$6 adjust$3) near10 (flow rate configuration))) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 11:03
L2	7	((startup near10 transmi$5) same ((chang$3 retriev$3 modif$6 adjust$3) near10 (flow rate configuration))) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 11:09
L3	561	(startup same ((chang$3 retriev$3 modif$6 adjust$3) near10 (flow rate configuration))) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 11:13
L4	4	3 and (transmi$6 near5 characteristic)	US-PGPUB; USPAT	OR	OFF	2004/12/27 11:14
L5	420	((startup restart$3 start$3) near10 transmi$5) same ((chang$3 retriev$3 modif$6 adjust$3) near10 (flow rate configuration)) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 11:39
L6	44	5 and (transmi$6 near5 characteristic)	US-PGPUB; USPAT	OR	OFF	2004/12/27 11:14
L7	6	((startup boot$3 start$3) near10 transmi$5) same (retriev$3 with (parameter$1 configuration) with transmi$6) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 11:42
L8	13	(startup boot$3 start$3) same (retriev$3 with (parameter$1 configuration) with transmi$6) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:04
L9	0	(startup boot$3 start$3) same encod$3 same (retriev$3 with (parameter$1 configuration) with transmi$6) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:04
L10	0	(startup initiat$3 initializ$5 boot$3 start$3) same encod$3 same (retriev$3 with (parameter$1 configuration) same transmi$6) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:06

L11	96	(startup initiat$3 initializ$5 boot$3 start$3) same (retriev$3 with (parameter$1 configuration) same transmi$6) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:19
L12	11	11 and "370"/$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:10
L13	2	11 and "375"/$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:10
L14	7	11 and "709"/$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:12
L15	1	11 and "725"/$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:18
L16	1	11 and "348"/$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:18
L17	990	(startup initiat$3 initializ$5 boot$3 start$3) same (retriev$3 near10 (parameter$1 configuration)) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 16:32
L18	24	((startup initiat$3 initializ$5 boot$3 start$3) near10 (encod$3 transmi$5)) same (retriev$3 near10 (parameter$1 configuration)) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:32
L19	37	((startup initiat$3 initializ$5 boot$3 start$3) with (encod$3 transmi$5)) same (retriev$3 near10 (parameter$1 configuration)) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:37
L20	77	(startup initiat$3 initializ$5 boot$3 start$3) same transmi$6 same (retriev$3 near10 (parameter$1 configuration)) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:41
L21	53	power$3 same transmi$6 same (retriev$3 near10 (parameter$1 configuration)) and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 15:41
L22	151	((priorit$3 near10 assign$5) with transmi$6 with (abl$3 perform$3))	US-PGPUB; USPAT	OR	OFF	2004/12/27 16:38
L23	45	22 and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 16:39
L24	220	(priorit$3 near10 (assign$6 control$4) near10 transmitter)	US-PGPUB; USPAT	OR	OFF	2004/12/27 16:41

L25	2843950	24nd (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 16:39
L26	121	24 and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 16:41
L27	0	(priorit$3 near10 (assign$6 control$4) near10 transmitter near10 able)	US-PGPUB; USPAT	OR	OFF	2004/12/27 16:41
L28	0	(priorit$3 near10 (assign$6 control$4) near10 transmitter near10 abl$3)	US-PGPUB; USPAT	OR	OFF	2004/12/27 16:41
L29	26	(priorit$3 near10 (assign$6 control$4) near10 transmitter near10 can)	US-PGPUB; USPAT	OR	OFF	2004/12/27 16:42
L30	7	29 and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 16:43
L31	48	(priorit$3 with (assign$6 control$4) with transmitter with (abl$3 can))	US-PGPUB; USPAT	OR	OFF	2004/12/27 16:43
L32	16	31 and (@ad<="19980821" @rlad<="19980821")	US-PGPUB; USPAT	OR	OFF	2004/12/27 16:43